EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	ake near4 authenticat$4 and geneart$$ near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 14:52
S2	159	ake near4 authenticat$4 and generat$4 near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 14:53
S3	20	ake near4 authenticat$4 and generat$4 near3 key and subscriber	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 14:53
S4	6	ake near4 authenticat$4 and generat$4 near3 key and subscriber and hash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 14:53
S5	8552	(two dule) near3 authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:16
S6	143	(two dule) near3 authenticat$4 same password same public	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:16
S7	59	(two dule) near3 authenticat$4 same password same public same generat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:16
S8	0	(two dule) near3 authenticat$4 same password same public same generat$4 and challang$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:17
S9	43	(two dule) near3 authenticat$4 same password same public same generat$4 and challeng$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:17

S10	21	(two dule) near3 authenticat$4 same password same public same generat$4 and challeng$3 same random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:17
S11	1471	(generat$4 creat$4 deriv $3 assign$4) near3 key with (id identifier) with public	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:21
S12	158	(generat$4 creat$4 deriv $3 assign$4) near3 key with (id identifier) with public with random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:21
S13	31	(generat$4 creat$4 deriv $3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:22
S14	3857	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:22
S15	878	713/169.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:22
S16	1682	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23
S17	2533	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23
S18	6	S14 and (generat$4 creat $4 deriv$3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23
S19	3	S15 and (generat$4 creat $4 deriv$3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23

S20	7	S16 and (generat$4 creat $4 deriv$3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23
S21	3	S17 and (generat$4 creat $4 deriv$3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:23
S22	31	(generat$4 creat$4 deriv $3 assign$4) near3 key with (id identifier) with public with random with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:35
S23	603	public near2 key with (id identifier) near4 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:39
S24	24	public near2 key with (id identifier) near4 server near7 subscrib$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:40
S25	10	key near4 random with server with subscrib$4 same authenticat$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:45
S26	6422	(send$3 transmit$4 receiv $3) near3 key near4 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:49
S27	154	(send$3 transmit$4 receiv $3) near3 key near4 server near5 random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:49
S28	4	(send$3 transmit$4 receiv $3) near3 key near4 server near5 random with password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:49
S29	17	subscriber with server with mutual near3 authentication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:53
S30	374	(subscriber mobile user) with server with mutual near3 authentication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:56

S31	7	(subscriber mobile user) with server with mutual near3 authentication with random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:56
S32	24	(subscriber mobile user) with server with mutual near3 authentication same random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 15:58
S33	63	(subscriber mobile user) with server with two near2 factor$1 near3 authentication	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 16:00
S34	1	("20030037241").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 16:06
S35	1	("20020078346").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 16:41
S36	8631	initializ$4 near3 (subscriber user mobile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:05
S37	193	initializ$4 near3 (subscriber user mobile) with authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:06
S38	14	initializ$4 near3 (subscriber user mobile) with authenticat$4 same random	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:06
S39	8850	key near4 generat$4 near4 (subscriber user mobile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:12
S40	7526	key near4 generat$4 near4 (subscriber user mobile) near4 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:12
S41	519	key near4 generat$4 near4 (subscriber user mobile) near4 key near4 (id identifier serial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:13

S42	62	key near4 generat$4 near4 (subscriber user mobile) near4 key near4 (id identifier serial) near7 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:13
S43	11	key near4 generat$4 near4 (subscriber user mobile) near4 key near4 (id identifier serial) near7 server near7 public	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:14
S44	3594	server near4 receiv$3 near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:31
S45	114	server near4 receiv$3 near3 key near4 authenticat$3 and random and public and password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:31
S46	27	server near4 receiv$3 near3 key near4 authenticat$3 and random and public and password and subscriber	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/10 17:32
S47	848	two adj factor$1 near3 authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 07:56
S48	0	two adj factor$1 near3 authenticat$4 and poltorak.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 07:58
S49	0	two adj factor$1 near3 authenticat$4 and "poltorak.ex.."	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 07:58
S50	0	two adj factor$1 near3 authenticat$4 and poltrak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 07:58
S51	0	two adj factor$1 near3 authenticat$4 and poltorak	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 07:59
S58	420	two adj factor$1 near3 authenticat$4 and key and random and public	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:04

S59	371	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:05
S60	4	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and generat$4 and ike	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:05
S61	4	two adj factor$1 near3 authenticat$4 and ike near4 authenticat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:09
S62	5	two adj factor$1 near3 authenticat$4 and ike	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:09
S63	350	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:10
S64	0	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and generat	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:10
S65	348	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and generat$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:10
S66	177	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and (generat $4 near5 password$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:11
S67	158	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and (generat $4 near5 password$1) and (authenticat$4 near4 server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:11

S68	112	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and (generat $4 near5 password$1) and (authenticat$4 near4 server) and (authenticat $4 near4 (client mobile subscriber))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:12
S69	38	two adj factor$1 near3 authenticat$4 and key and random and public and (id identifier) and password and (generat $4 near5 password$1) and (authenticat$4 near4 server) and (authenticat $4 near4 (client mobile subscriber)) and (key near3 exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:12
S71	3860	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S72	25	S71 and authenticat$4 and key and random and public and (id identifier) and password and (generat$4 near5 password$1) and (authenticat$4 near4 server) and (authenticat $4 near4 (client mobile subscriber)) and (key near3 exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S73	881	713/169.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S74	10	S73 and authenticat$4 and key and random and public and (id identifier) and password and (generat$4 near5 password$1) and (authenticat$4 near4 server) and (authenticat $4 near4 (client mobile subscriber)) and (key near3 exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58

S75	1684	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S76	25	S75 and authenticat$4 and key and random and public and (id identifier) and password and (generat$4 near5 password$1) and (authenticat$4 near4 server) and (authenticat$4 near4 (client mobile subscriber)) and (key near3 exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S77	2536	380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S78	9	S77 and authenticat$4 and key and random and public and (id identifier) and password and (generat$4 near5 password$1) and (authenticat$4 near4 server) and (authenticat$4 near4 (client mobile subscriber)) and (key near3 exchang$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 08:58
S79	1	("20020194478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 11:31
S80	1	("20030037241").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 13:20
S81	1	("20020078346").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 17:47
S82	1	("5434918").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 17:47

S83	1	("20020159601").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 17:47
S84	1	("6088799").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 17:48
S85	1	("20030093680").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2011/01/11 17:50

EAST Search History (Interference)

<This search history is empty>

1/11/2011 8:11:53 PM
C:\Documents and Settings\aabyaneh\My Documents\EAST\Workspaces\10562605.wsp